ELSEVIER

Toxicology 122 (1997) 249–250

TOXICOLOGY

Volume contents

Volume 122 (1997)

Simulation of lindane kinetics in rats
A mathematical model is introduced for predicting toxicokinetics and is tested with gamma-hexachlorocyclohexane
J. DeJongh, B.J. Blaauboer (The Netherlands) 1–9

Evidence for mitochondrial metabolism of 7,12-dimethylbenz(a)anthracene in porcine ovaries: comparison with microsomal metabolism
Porcine ovarian mitoplasts display high activity
M. Eliasson, S. Brock, M. Bengtsson Ahlberg (Sweden) 11–21

Effects exerted by otilonium bromide administration on precipitated opioid withdrawal syndrome in rats
This calcium antagonist differentially affects withdrawal symptoms
A. Pinelli, S. Trivulzio, S. Vignati (Italy) 23–37

Chloroform-induced olfactory mucosal degeneration and osseous ethmoid hyperplasia are not associated with olfactory deficits in Fischer 344 rats
Chloroform was administered by gavage
D.C. Dorman, K.L. Miller, A. D'Antonio, R.A. James, K.T. Morgan (USA) 39–50

Kinetics of selenium incorporation into tissues of female mallard ducks
Ovaries seem preferentially to receive selenium
D.S. Wilson, P. Zhang, R. He, R. Ota, S.T. Omaye (USA) 51–60

Effects of co-administration of butylated hydroxytoluene, butylated hydroxyanisole and flavonoids on the activation of mutagens and drug-metabolizing enzymes in mice
Coadministration of an antioxidant and flavonoid resulted in additive effects in the activation of aflatoxin and benzo(a)pyrene, but not of N-nitrosodimethylamine
B. Sun, M. Fukuhara (Japan) 61–72

Cytotoxicity and biotransformation inducing activity of rodent beddings: a global survey using the Hepa-1 assay
A large difference between neutral corn cobs and cytotoxic pine wood
K.H.O. Pelkonen, O.O.P. Hänninen (Finland) 73–80

Peroxisome proliferators increase the formation of BPDE-DNA adducts in isolated rat hepatocytes
Cyp 1A1 induction and decrease in glutathione S-transferase are discussed as cellular mechanisms
I. Voskoboinik, S.G. Ooi, R. Drew, J.T. Ahokas (Australia) 81–91

MPTP toxicity in rat striatal slices: dopamine uptake alteration does not appear to be related to lipid peroxidation
This conclusion is deduced from various binding and inhibition experiments
F. Huguet, G. Page, P. Morel, C. Tallineau, A. Piriou (France) 93–99

Sensory nerve-mediated inhibitory responses in airways of F344 rats
The sensory nerve inhibitory system in intrapulmonary airways may afford protection against toxic inhalants
J.L. Szarek, B. Spurlock (USA) 101–110

Relationships between cell density, glutathione and proliferation of A549 human lung adenocarcinoma cells treated with acrolein
In vitro toxicity of acrolein depends on cell number rather than on concentration in medium
N.D. Horton, B.M. Mamiya, J.P. Kehrer (USA) 111–122

The cytotoxic effect of paraquat to isolated renal proximal tubular segments from rabbits
Mitochondrial damage leads to cytotoxicity
A.-M. Mølck, C. Friis (Denmark) 123–132

Lead exposure causes generation of reactive oxygen species and functional impairment in rat sperm
Decrease in fertility is mediated through reactive oxygen
P.-C. Hsu, M.-Y. Liu, C.-C. Hsu, L.-Y. Chen, Yueliang Leon Guo (Taiwan) 133–143
Potential role for IL-5 and IL-6 in enhanced IgA secretion by Peyer's patch cells isolated from mice acutely exposed to vomitoxin
Enhanced IgA secretion by Peyer's patch cells of mice exposed orally to vomitoxin is due to superinduction of IL-5 and IL-6 expression
D. Yan, H.-R. Zhou, K.H. Brooks, J.J. Pestka (USA). 145–158

Instructions to authors 159–160

Safety and kinetic properties of a humanized antibody to human interleukin-6 receptor in healthy non-human primates
In the present study the antibody was not toxic
H. Shinkura, I. Imazeki, N. Fukushima, N. Chiba, F. Takahashi, H. Aikawa, H. Kitamura, T. Furuichi, N. Horiba, Y. Ohsugi (Japan) 163–170
Methylmercury alters the tyrosination status of tubulin in the brains of acutely intoxicated rats
Methyl mercury decreased the activity of tubulin tyrosine ligase in the latent and symptomatic periods
Y. Ishida, T. Ichimura, H. Sumi, T. Horigome, S. Omata (Japan) 171–181
Murine strain differences in allergic airway inflammation and immunoglobulin production by a combination of antigen and diesel exhaust particles
Diesel exhaust particles enhance manifestations of allergic airway inflammation in as strain dependent manner
T. Ichinose, H. Takano, Y. Miyabara, R. Yanagisawa, M. Sagai (Japan). 183–192
Modulation of taurine levels in the rat liver alters methylene dianiline hepatotoxicity
Taurine reduces liver toxicity and affects transaminases differentially
V. Seabra, J.A. Timbrell (UK). 193–204
Study of in vitro cytotoxicity of a water soluble organic arsenic compound, arsenosugar, in seaweed
Arsenosugar was toxic to alveolar macrophages but enhanced the viability of peritoneal macrophages
T. Sakurai, T. Kaise, T. Ochi, T. Saitoh, C. Matsubara (Japan) 205–212

Immunotoxicology
The popliteal lymph node assay: results of a preliminary interlaboratory validation study
Using the same PLN assay technique, 3 independent laboratories obtained similar results with 5 prototypic compounds in blind fashion
T. Vial, J. Carleer, B. Legrain, F. Verdier, J. Descotes (France, Belgium). 213–219
Alterations in the developing immune system of the F344 rat after perinatal exposure to 2,3,7,8-tetrachlorodibenzo-*p*-dioxin: I. Effects on the fetus and the neonate
Perinatal TCDD exposure induced thymic changes in rat fetuses and newborn rats
B.C. Gehrs, R.J. Smialowicz (USA). 219–228
Alterations in the developing immune system of the F344 rat after perinatal exposure to 2,3,7,8-tetrachlorodibenzo-*p*-dioxin II. Effects on the pup and the adult
Perinatal TCDD exposure induced a suppression of DTH response in pulps and adults, suggesting this may represent the most sensitive biomarker for TCDD immunotoxicity in the rat
B.C. Gehrs, M.M. Riddle, W.C. Williams, R.J. Smialowicz (USA) 229–240

Book review 241

Author index. 243
Subject index. 245–248
Volume contents. 249–250